

**SOFT
ORIGINAL
INTERIOR
FILM**



www.samsungfilm.co.kr

SOIF
G L O B A L

**Decorative
Architectural
Film**

SOIF

(주)삼성인테리어필름

INDEX

INDEX



www.samsungfilm.co.kr



S series	S series	S series	S series	M series	N series	C series	H series	B series											
SG/SF B1	91	SG/SF 122	○	8	SG/SF 1114	89	SG/SF 1202	14	MG/MF 3071	12	NG/NF 2031	12	CG/CF 5500	29	HG/HF 5100 NEW	52	BG 8000	97	
SG/SF 09	89	SG/SF 128	○	8	SG 1115	87	SG 1116	87	MG/MF 3073	12	NG/NF 2033 NEW ○	9	CG/CF 5501	29	HG/HF 5101 NEW	52	BG 8001	97	
SG/SF 10	90	SG/SF 134	●	8	SG 1118	89	SG/SF 1122	14	MG/MF 3074	14	NG/NF 2034 NEW ○	9	CG/CF 5502	29	HG/HF 5102 NEW	52	BG 8003	96	
SG 12	86	SG 140		87	SG 1124	14	MG 50	13	MG/MF 3075	14	NG/NF 2035 NEW ●	9	CG/CF 5503	24	HG/HF 5103 NEW	52	BG 8004	96	
SG/SF 20	89	SG 141		89	SG/SF 1123	14	MG/MF 123	54	MG/MF 3076	14	NG/NF 2036 NEW ●	9	CG/CF 5504	24	HG/HF 5104 NEW	51	BG 8006 NEW	95	
SG 23	91	SG/SF 142		86	SG 1125	15	MG 124	54	MG/MF 3077	14	NG/NF 2037 NEW ○	7	CG/CF 5505	24	HG/HF 5105 NEW	52	BG 8007 NEW	95	
SG 26	91	SG 143		87	SG/SF 1125	15	MG/MF 125	54	MG/MF 3079	15	NG/NF 2038 NEW ○	7	CG/CF 5506	26	HG/HF 5106 NEW	19			
SG 28	91	SG/SF 148		90	SG/SF 1126	15	MG/MF 325	9	MG/MF 3080	59	NG/NF 2039 NEW ○	7	CG/CF 5507	26	HG/HF 5107 NEW	19			
SG/SF 29	88	SG/SF 149		91	SG/SF 1127	15	MG 445	63	MG/MF 3081	59	NG/NF 2040 NEW ○	7	CG/CF 5508	32	HG/HF 5108 NEW	20			
SG/SF 30	87	SG/SF 153	●	9	SG/SF 1128	8	MG 446	63	MG/MF 3082	59	NG/NF 2041 NEW ○	7	CG/CF 5509	32	HG/HF 5109 NEW	20			
SG/SF 31	91	SG/SF 164		92	SG/SF 1129	14	MG/MF 448	54	MG 3083	59	NG/NF 2042 NEW ●	7	CG/CF 5510	30	HG/HF 5110 NEW	22			
SG/SF 36	92	SG/SF 165	○	9	SG/SF 1130	15	MG 451	60	MG/MF 3084	80			CG/CF 5511	30	HG/HF 5111 NEW	22			
SG/SF 37	87	SG/SF 166	○	9	SG/SF 1131	15	MG/MF 452	66	MG/MF 3085	59			CG/CF 5512	30	HG/HF 5112 NEW	18			
SG/SF 40	87	SG/SF 167		89	SG/SF 1132	15	MG/MF 453	66					CG/CF 5513	31	HG/HF 5113 NEW	17			
SG/SF 43	89	SG/SF 169		90	SG/SF 1133	15	MG/MF 454	66					ZG/ZF 5000	78	HG/HF 5114 NEW	18			
SG/SF 44	91	SG/SF 170		90	SG/SF 1134	●	MG/MF 455	66	NG/NF 03	84			CG/CF 5514	31					
SG/SF 51	9	SG 171		87	SG/SF 1135	○	MG 460	67	NG 158	82			ZG/ZF 5009	78	CG/CF 5515	31	DG 3500	55	
SG/SF 52	92	SG/SF 177		89	SG/SF 1136	●	MG 462	60	NG/NF 207	83			ZG/ZF 5010	78	CG/CF 5516	28	DG 3501	55	
SG/SF 53	9	SG/SF 178		86	SG/SF 1137	●	MG 466	13	NG 217	82			ZG 5011	78	CG/CF 5517	28	DG 3502	55	
SG/SF 54	88	SG/SF 179		86	SG/SF 1138	○	MG/MF 485	61	NG 218	82			ZG/ZF 5012	78	CG/CF 5518	28	DG 3503	55	
SG/SF 55	88	SG/SF 181		89	SG/SF 1139	15	MG 496	13	NG/NF 225	83			ZG/ZF 5015	78	CG/CF 5519	35	DG 3504	55	
SG 56	90	SG/SF 186		90	SG/SF 1140	15	MG 498	54	NG/NF 227	83			ZG/ZF 5016	78	CG/CF 5520	34	DG/DF 3505	65	
SG/SF 58	90	SG/SF 189		89	SG/SF 1143	91	MG 499	54	NG/NF 250	82			ZG/ZF 5018	77	CG/CF 5521	34	DG/DF 3506	65	
SG 61	92	SG/SF 190		90	SG/SF 1150	14	MG/MF 984	61	NG 253	84			ZG/ZF 5019	77	CG/CF 5522	35	DG/DF 3507	65	
SG/SF 72	○	9	SG 209		86	SG/SF 1153	14	MG 985	61	NG 256	84			ZG/ZF 5020	77	CG/CF 5523	44	DG/DF 3508	12
SG/SF 81	86	SG 211		86	SG/SF 1157	15	MG/MF 986	61	NG 267	85			ZG/ZF 5021	77	CG/CF 5524	44	DG/DF 3509	12	
SG/SF 82	87	SG 230		92	SG/SF 1158	15	MG/MF 3001	60	NG/NF 284	83			ZG/ZF 5022	77	CG/CF 5525	44			
SG/SF 84	●	9	SG/SF 237		90	SG/SF 1160	14	MG 3003	60	NG/NF 326	82			ZG 5027	77	CG/CF 5526	43		
SG/SF 86	●	8	SG/SF 243		92	SG/SF 1161	14	MG 3005	80	NG/NF 336	83			ZG/ZF 5028 NEW	69	CG/CF 5527	43		
SG/SF 87	●	8	SG/SF 249		88	SG/SF 1162	14	MG 3006	80	NG/NF 349	83			ZG/ZF 5029 NEW	69	CG/CF 5528	43		
SG/SF 89	91	SG/SF 251		90	SG/SF 1163	14	MG/MF 3007	80	NG/NF 388	83			ZG/ZF 5030 NEW	69	CG/CF 5529	41			
SG/SF 91	○	8	SG/SF 270		9	SG/SF 1164	14	MG 3021	54	NG/NF 400	85			ZG/ZF 5031 NEW	76	CG/CF 5530	41		
SG/SF 92	●	9	SG/SF 278		92	SG/SF 1167	14	MG 3022	54	NG 402	82			ZG/ZF 5032 NEW	76	CG/CF 5531	41		
SG/SF 93	○	9	SG/SF 282		88	SG/SF 1168	14	MG/MF 3026	14	NG 493	85			ZG/ZF 5033 NEW	72	CG/CF 5532	27		
SG/SF 94	●	9	SG 294		9	SG/SF 1169	15	MG/MF 3027	14	NG 960	85			ZG/ZF 5034 NEW	72	CG/CF 5533	27		
SG/SF 96	●	8	SG/SF 314	○	9	SG/SF 1171	14	MG/MF 3028	15	NG 962	85			ZG/ZF 5035 NEW	72	TG 403	9		
SG/SF 97	○	8	SG/SF 315	○	9	SG/SF 1172	15	MG/MF 3029	15	NG 968	61			ZG/ZF 5036 NEW	76	TG 410	67		
SG 98	89	SG/SF 361		86	SG/SF 1173	15	MG 3030	15	NG 971	83			ZG/ZF 5037 NEW	76	TG 425	62			
SG/SF 101	91	SG/SF 363		90	SG/SF 1175	15	MG 3032	14	NG/NF 2001	82			ZG/ZF 5039 NEW	70	TG 433	13			
SG/SF 102	●	8	SG/SF 381		90	SG/SF 1176	15	MG/MF 3033	15	NG 971	83			ZG/ZF 5040 NEW	70	TG 434	14		
SG/SF 104	9	SG/SF 383		91	SG 1182	●	MG 3034	15	NG 2006	82			ZG/ZF 5041 NEW	75	TG/TF 465	55			
SG/SF 105	9	SG 385		87	SG 1186	●	MG/MF 3050	13	NG 2017	14			ZG/ZF 5042 NEW	75	TG 4004	55			
SG/SF 106	●	8	SG 855		61	SG/SF 1188	●	MG 3051	13	NG/NF 2018	15			ZG/ZF 5043 NEW	75	TG 4006	55		
SG/SF 107	●	8	SG/SF 1100		86	SG/SF 1191	●	MG/MF 3054	62	NG 2019	15			ZG/ZF 5044 NEW	75	TG 4010	59		
SG/SF 109	●	9	SG/SF 1101		89	SG/SF 1192	●	MG 3058	60	NG/NF 2020	83			ZG/ZF 5045 NEW	74	TG 4014	61		
SG/SF 110	●	9	SG/SF 1102		88	SG/SF 1193	●	MG/MF 3060	66	NG/NF 2021	84			ZG/ZF 5046 NEW	74	TG 4015	67		
SG 111	●	8	SG/SF 1103		91	SG/SF 1194	●	MG/MF 3061	66	NG/NF 2022	84			ZG/ZF 5047 NEW	74	TG/TF 4018 ○	10		



Blackened Steel (Bronze)

NEW JG/JF 9001 ●●

가장
완벽한
MATT FINISH

다양한 디자인 표현에 감성과 기능을 더한
더 완벽해진 매트코팅
"Premium Matt"
NON-SCRATCH 기능을 추가로
내구성을 높이며 기존 인테리어필름과
차별된 또 다른 감성을 선보입니다.

ECO FRIENDLY SOIF 친환경 소이프

소이프 인테리어 필름은 각종 테스트를 통과한 최우수 등급의 친환경적인 표면 마감자재입니다.
자연스럽고 다양한 디자인 표현 뿐 아니라, 고객의 건강과 안전을 위해 언제나 최선을 다하고 있습니다.

Samsung Film is an eco-friendly surface finish material that has passed various tests. Its natural composition, along with our wide range of designs, makes us the leading provider in Eco Friendly, Sustainable Film.

우수한 방염성능 & 안정성 (Excellent Fire retardant performance & safety)



소방산업기술원의 엄격한 방염검사를 통과한 제품입니다. 우수한 방염성능과 안정성으로 고객의 생명과 재산을 보호합니다.

This product has passed the strict fire retardant test of the Fire Industry Institute of Technology. (Korea) Excellent fire retardant performance and stability protects you and your property.

스페인 방염 & 친환경 인증 (Fire retardant & Eco-Certified from Spain)



스페인 건축자재관련 화재 및 친환경 관련 인증입니다. 가스유해성, 포름알데하يد 및 친환경 건축자재 시험을 실시하여 안전함을 검증받았습니다. (ENAC 인증번호 2019AN3043)



It is a fire and eco-friendly certification related to Spain Building Materials. Gas-free, formaldehyde and eco-friendly building materials tested and verified for safety. (ENAC Verification Number 2019AN3043)

실내건축자재 시험적합 확인제품 (INDOOR BUILDING MATERIALS TESTED)



실내용 건축자재는 적용 환경기준 적합 여부에 부합하는 제품에 부여됩니다. (포름알데하يد, 톨루엔 및 휘발성 유기화합물 TVOC 등 3종의 배출량을 시험하여 적합성을 확인합니다.)

Building materials for indoor use is granted. (Formaldehyde, toluene and volatile organic compounds TVOC, etc. Test three kinds of emissions to determine their suitability.)

경기도 유망중소기업 선정 (Selected as a Promising Enterprise in South Korea)



20여년 넘게 지역사회와 사회발전을 위한 동반자로 상생도모하며 지속가능 경영 유지 (삼성필름의 임직원은 지역사회 인원으로 유지 발전되고 있습니다.)

For more than 20 years, we have been a companion for community and social development. Maintaining sustainable management, we understand our most valuable assets are our people, that's why we have focused heavily on development and maintenance programs for our employees.

자체 디자인 개발 및 고유패턴의 디자인 보유 (BESPOKE LANTERN DESIGNS)



삼성필름은 자체 디자인 개발 및 고유패턴의 디자인 보유로 2020년 기술평가 우수기업으로 인증 받았습니다.

Samsung Film has developed its own design and has a unique lantern design. In 2020, we were certified as an excellent company in technology evaluation.

항균 안전 솔루션(Anti bacterial safety solutions)



SOIF 항균 안전 솔루션 (Solution) 으로 보다 쾌적하고 안전한 공간연출 가능 (항균성능 인증 SOIF ANTI BACTERIA 로고적용 제품군을 확인하세요.)

A more comfortable and safe space with a SOIF antimicrobial safety solution can be directed (check out the Soif Anti bacteria logo family, which is certified for antimicrobial performance)

CONTENTS

SOLID

PASTEL COLORS_7p BASIC SOLID_8p TRENDY SOLID/TEXTURE_9p SOFT MATT_10p
EMBOSS PATTERN_12p PEARL WOOD_13p PAINTED WOOD_14p

PREMIUM MATT

PREMIUM WOOD_17p PREMIUM STONE_37p PREMIUM FABRIC_43p PREMIUM METAL_47p

METAL

PEARLESCENT METAL_51p HAIR LINE BRONZE METAL_53p METAL_54p

STONE & MARBLE

STONE_57p MARBLE_62p

FABRIC & LEATHER

FABRIC_65p LEATHER_67p

WOOD

MULTI PRINTING WOOD_69p M SERIES_80p N SERIES_82p S SERIES_86p

OTHERS

VERSA-TILE_95p ANTI BACTERIA_98p

SOLID

Simple but modern, it's a colorful solid for the space. From basic solids with color, embossed products with new embosses in a variety of color, to changes in the painted range for a more diverse blend of color. SOIF solids are now enriched by new colors and ranges.



PASTEL COLORS


Fire Retardant ● | Standard Range ● | NEW NEW



NEW NG/NF 2038 ●
Pale yellow



NEW NG/NF 2037 ●
Mint green



NEW NG/NF 2039 ●
Lilac



NEW NG/NF 2040 ●
Baby pink



NEW NG/NF 2042 ●
Racing green



NEW NG/NF 2041 ●
Baby blue

Pastels and pastel tones can be a beautiful addition to any space and are especially gorgeous when used together. Beyond the noise, get ready for a world where pastels are the most stylish palette in town.

SOLID

BASIC SOLID

방염 ● | 비방염 ○ | 신제품 NEW



SOLID

BASIC SOLID



SG/SF 72



SG/SF 110




SG/SF 92



SG/SF 84



SG/SF 1192



SG/SF 1138



SOLID

BASIC SOLID



방염 ● | 비방염 ● | 신제품 NEW

SOLID


BASIC SOLID



Fire Retardant ● | Standard Range ● | NEW NEW

SOLID

TRENDY SOLID



SOLID

TEXTURE

SOFT MATT

방염 ● | 비방염 ● | 신제품 NEW

표면 특수코팅으로 부드러운 질감과 고급스러운 무광표현이 가능하고 NON-SCRATCH기능과
페인팅 기법을 통해 단색의 편안함을 극대화한 프리미엄 제품입니다.



Soft Matt ⚡ **TG/TF 4025** ●●



Soft Matt ⚡ **TG/TF 4028** ●●



Soft Matt ⚡ **TG/TF 4018** ●●



Soft Matt ⚡ **TG/TF 4029** ●●



Soft Matt ⚡ **TG/TF 4027** ●●



SOFT MATT

Premium product that allows of smooth texture and luxurious matt display with special coatings on the surface,
and maximizes monochromatic comfort through NON-SCRATCH function and painting techniques.



Soft Matt ⚡ **TG 4024** ●



Soft Matt ⚡ **TG/TF 4021** ●●



Soft Matt ⚡ **TG 4019** ●●



Soft Matt ⚡ **TG/TF 4020** ●●



Soft Matt ⚡ **TG/TF 4022** ●●



TG/TF 4023 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

SOLID EMBOSS PATTERN

방염 ● | 비방염 ○ | 신제품 NEW




Emboss Pattern

MG/MF 3071 ●●




Emboss Pattern

MG/MF 3073 ●●




Emboss Pattern

DG/DF 3508 ●●



Emboss Pattern

DG/DF 3509 ●●



Painted Wood

NG/NF 2026 ●●




Painted Wood

NG 2028 ●



Emboss Pattern

NG/NF 2029 ●●



Emboss Pattern

NG/NF 2030 ●●



Emboss Pattern

NG/NF 2031 ●●

SOLID PEARL WOOD

Fire Retardant ● | Standard Range ○ | NEW NEW



Pearl Wood

MG/MF 3050 ●●




Pearl Wood

MG 50 ●



Pearl Wood

TG 433 ●




Pearl Wood

MG 3051 ●



Pearl Wood

MG 466 ●



Pearl Wood

MG 496 ●

PAINTED WOOD

| 비방염 ● | 신제품 NEW

SOLID PAINTED WOOD



MG/MF 3074 ●●



MG/MF 3027 ●●



MG 3032 ●



MG/MF 3075 ●●



MG/MF 3076 ●●



MG/MF 3071




MG/MF 3072



MG/MF 3073



MG/MF 3074



MG/MF 3075



SG/SF 1150

SOLID
PAINTED WOOD



SG/SF 1129



SG/SF 1162



SG/SF 1168



MG/MF 3077



MG/MF 3074



MG/MF 3028



MG/MF 3033



SG/SF 1133



SG/SF 1139



SG/SF 1173



SG/SF 1161



SG/SF 1163



SG/SF 1123



TG 434



MG/MF 3027




MG/MF 3029



SG/SF 1125



SG/SF 1169



SG/SF 1130




SG/SF 1126



SG/SF 1160



SG/SF 1167



SG/SF 1164




NG 2017



MG 3032



NG 2019



MG/MF 3034



SG/SF 1172



SG/SF 1157



SG/SF 1175



SG/SF 1202



SG/SF 1171




SG/SF 1150




MG/MF 3026



MG/MF 3075



SG/SF 1140




MG/MF 3079



SG/SF 1131



SG/SF 1158




SG/SF 1176



SG/SF 1153



SG/SF 1122




SG 1124




MG/MF 3076




NG/NF 2018



SG/SF 1127



MG 3030



SG/SF 1132



PREMIUM WOOD

Premium matt are specially designed for surfaces. Soft texture and luxurious matt display.
Through NON-SCRATCH functions and painting techniques, Premium products maximize luxury.

HG/HF 5113

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT WOOD

Primary Oak

※ 제품표면이 특수기공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

NEW HG/HF 5113 ●

PREMIUM MATT

WOOD



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

* 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 접착면이 안정화됩니다.

방염 ● | 비방염 ● | 신제품 NEW



PREMIUM MATT

WOOD




Primary Oak

NEW HG/HF 5112 ●●



Oak

NEW HG/HF 5106 ●●



Primary Oak

NEW HG/HF 5114 ●●



Oak

NEW HG/HF 5107 ●●


Fire Retardant ● | Standard Range ● | NEW NEW



* As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.


PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 NEW



Rainy Teak

NEW HG/HF 5108 ●●



Rainy Teak

NEW HG/HF 5109 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 입착되면 시간이 지날수록 점착면이 안정화됩니다.



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

HG/HF 5108


PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 NEW



Oak

NEW HG/HF 5110 ●●



Oak

NEW HG/HF 5111 ●●


※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 입착되면 시간이 지날수록 점착면이 안정화됩니다.



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 NEW




Ash 🌸

CG/CF 5503 ●●



Ash 🌸

CG/CF 5504 ●●



Ash 🌸

CG/CF 5505 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 입착되면 시간이 지날수록 점착면이 안정화됩니다.




PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 NEW



Ash 🌸

CG/CF 5506 ●●



Ash 🌸

CG/CF 5507 ●●



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 접착면이 안정화됩니다.

PREMIUM MATT WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



The images are for illustrative purposes and may differ from actual product.



Classic Oak

CG/CF 5532 ●●



Classic Oak

CG/CF 5533 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT

WOOD



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

방염 ● | 비방염 ● | 신제품 NEW



Oak

CG/CF 5516 ●●



Oak

CG/CF 5517 ●●




Oak

CG/CF 5518 ●●

PREMIUM MATT

WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



The images are for illustrative purposes and may differ from actual product.



Oak

CG/CF 5501 ●●



Oak

CG/CF 5500 ●●



Oak

CG/CF 5502 ●●

PREMIUM MATT WOOD



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

방염 ● | 비방염 ● | 신제품 NEW



PREMIUM MATT WOOD



Teak 🔥 CG/CF 5512 ●●



Teak 🔥 CG/CF 5510 ●●



Teak 🔥 CG/CF 5511 ●●



Ash 🔥 CG/CF 5513 ●●



Ash 🔥 CG/CF 5515 ●●



Ash 🔥 CG/CF 5514 ●●



The images are for illustrative purposes and may differ from actual product.

Fire Retardant ● | Standard Range ● | NEW NEW



※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 NEW



Pine 

CG/CF 5508 ●●



Pine 

CG/CF 5509 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM MATT

WOOD

방염 ● | 비방염 ● | 신제품 NEW



Standard Oak 

CG/CF 5520 ●●

PREMIUM MATT

WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Standard Oak 

CG/CF 5519 ●●



Standard Oak 

CG/CF 5521 ●●




Standard Oak 

CG/CF 5522 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 압착되면 시간이 지남수록 접착면이 안정화됩니다.

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.



PREMIUM STONE

MATT STONE has increased surface quality with matt and special coatings felt in real stone. Enhance the dignity of your space with new sensuous products.

PREMIUM MATT STONE

방염 ● | 비방염 ● | 신제품 NEW




Brush Cement

NEW HG/HF 5117 ●●



Brush Cement

NEW HG/HF 5118 ●●



Brush Cement

NEW HG/HF 5119 ●●

The images are for illustrative purposes and may differ from actual product.


※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT STONE

방염 ● | 비방염 ● | 신제품 NEW




상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



* 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 접착면이 안정화됩니다.

PREMIUM MATT STONE

Fire Retardant ● | Standard Range ● | NEW NEW



Matt Marquina

NEW HG/HF 5122 ●●



Matt Marquina

NEW HG/HF 5123 ●●



The images are for illustrative purposes and may differ from actual product.

* As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT

STONE

방염 ● | 비방염 ● | 신제품 NEW



Urban Stone ⚡

NEW HG/HF 5115 ●●

PREMIUM MATT


STONE

Fire Retardant ● | Standard Range ● | NEW NEW



Travertine ⚡

CG/CF 5529 ●●



Urban Stone ⚡

NEW HG/HF 5116 ●●



Travertine ⚡

CG/CF 5530 ●●



Travertine ⚡

CG/CF 5531 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 압착되면 시간이 지날수록 접착면이 안정화됩니다.

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.



PREMIUM FABRIC

MATT FABRIC is a premium product that provides warmth, softness of a fabric which is on a different level from existing fabrics and a soft texture when touched.



CG/CF 5528

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT FABRIC

Real Fabric



CG/CF 5528 ●●

Real Fabric

CG/CF 5526 ●●

Real Fabric

CG/CF 5527 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 불지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT FABRIC

방염 ● | 비방염 ● | 신제품 NEW



Warm Linen ↗

CG/CF 5523 ●●



Warm Linen ↗

CG/CF 5524 ●●



Warm Linen ↗

CG/CF 5525 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 입착되면 시간이 지날수록 점착면이 안정화됩니다.





PREMIUM METAL

MATT METAL is a range of products that express the feel of a simple, luxurious metal.
Decorate your space with confidence with MATT METAL, which matches your metallic modern lifestyle.

JG/JF 9000

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT METAL

방염 ● | 비방염 ● | 신제품 NEW



Blackened Steel (Blue) ⚡

NEW JG/JF 9000 ●



Blackened Steel (Bronze) ⚡

NEW JG/JF 9001 ●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 놀려주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT METAL

방염 ● | 비방염 ● | 신제품 NEW



XG/XF 7014

상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Cloud Metal

XG/XF 7015 ●●

Metal Slate

XG/XF 7014 ●●

Minimal Cloud

XG/XF 7012 ●●

Matt Solid

XG/XF 7013 ●●

PREMIUM MATT METAL


Fire Retardant ● | Standard Range ● | NEW NEW



Minimal Cloud

Minimal Cloud

XG/XF 7011 ●●



XG/XF 7013

The images are for illustrative purposes and may differ from actual product.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

METAL

Monochromatic and metallic, these two materials have recently become the most used materials in various spaces, from furniture to art walls and home appliances. Enjoy modern changes that suit your style in a variety of spaces.



The images are for illustrative purposes and may differ from actual product.


METAL

PEARLESCENT METAL



Rose Gold

NEW HG/HF 5104 ●●



Bronze Metal

NEW XG/XF 7019 ●●


METAL

PEARLESCENT METAL




White Gold

NEW HG/HF 5100 ●●



Peach Gold

NEW HG/HF 5101 ●●




Champagne Gold

NEW HG/HF 5103 ●●

METAL

HAIRLINE BRONZE METAL



Yellow Bronze

NEW XG/XF 7016 ●●




Red Bronze

NEW XG/XF 7017 ●●



Bronze Gold

NEW HG/HF 5105 ●●



Dark Bronze

NEW XG/XF 7018 ●●

METAL

방염 ● | 비방염 ● | 신제품 NEW

METAL

Fire Retardant ● | Standard Range ● | NEW NEW



Metal

MG 124 ●



Metal

MG 499 ●



Metal

MG/MF 125 ●●



Saffiano

DG 3500 ●



Saffiano

DG 3501 ●




Saffiano

DG 3504 ●



Metal

MG/MF 123 ●●



Metal

MG 498 ●



Metal

MG 3021 ●




Saffiano

DG 3502 ●



Saffiano

DG 3503 ●




Cement Metal

TG 4006 ●



Metal

MG 3022 ●



Metal

MG/MF 448 ●●



Luxury Metal

JG 698 ●



Luxury Metal

TG/TF 465 ●●



Metal Leaf

TG 4004 ●

STONE & MARBLE

STONE & MARBLE

Apply a natural (floating) sensibility and original design to your space with colours such as concrete, stone and marble, and three-dimensional embossing. With its unchanging beauty, the stone material blends harmoniously with a variety of textured materials, including metal, matt and light, to add value to the space. Create a more luxurious atmosphere.



Aspetto

YG/YF 4503 ●●

STONE & MARBLE

STONE

방염 ● | 비방염 ● | 신제품 NEW



Aspetto

YG/YF 4501 ●●

STONE & MARBLE

STONE

Fire Retardant ● | Standard Range ● | NEW NEW




Modern Stone

MG/MF 3080 ●●



Modern Stone

MG/MF 3081 ●●



Aspetto

YG/YF 4502 ●●



Modern Stone

MG/MF 3082 ●●




Modern Stone

MG 3083 ●




Aspetto

YG 4500 ●



Modern Concrete

MG/MF 3085 ●●



Concrete

TG 4010 ●

STONE & MARBLE

STONE



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Matt Marble

MG 3058 •



Peacock Natural

MG/MF 3001 ••



Peacock Natural

MG 3003 •

STONE & MARBLE

STONE



Concrete

MG 451 •




Rustic Stone

MG 462 •




Concrete

MG 985 •



Concrete

MG/MF 984 ••



Natural Stone

PG 6010 •



Urban Stone

MG/MF 485 ••



Real Stone

TG 4014 •



Sugar Stone

SG 855 •



Concrete

MG/MF 986 ••



Bricks

NG 968 •


STONE & MARBLE

MARBLE

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Carrara

MG/MF 3054 ●●

STONE & MARBLE


MARBLE

Fire Retardant ● | Standard Range ● | NEW NEW



The images are for illustrative purposes and may differ from actual product.

MG 446



Marble

MG 446 ●

FABRIC & LEATHER

Add warmth to your space with our range of rich leather materials.
Blend with wood & rattan furniture to create a truly luxurious look and feeling.



The images are for illustrative purposes and may differ from actual product.

FABRIC & LEATHER FABRIC



Plain Linen

DG/DF 3505 ●●



Plain Linen

DG/DF 3506 ●●



Plain Linen

DG/DF 3507 ●●

FABRIC & LEATHER

FABRIC



Linen

MG/MF 3060 ••



Linen

MG/MF 3061 ••




Linen

MG/MF 3062 ••

FABRIC & LEATHER

LEATHER



Leather

MG 460 •



Leather

TG 410 •



Square

SE 806 •



Fabric

MG/MF 452 ••



Fabric

MG/MF 453 ••



Fabric

MG/MF 454 ••



Leather

TG 4015 •



Cross Stripe

SC 725 •



Engraving

SC 774 •



Tweed

TG 4000 •



Natural Fabric

MG/MF 455 ••



Anaconda

SP 840 •

Fire Retardant • | Standard Range • | NEW NEW

WOOD

From Standard OAK to TEAK and ELM, the various woodgrain designs are the best material to add warmth to the space. Special product such as 'MULTI PRINTING' products express the texture of wood more prominently, and a variety of patterns and colors.

S, M, and N series are showing a rich & trendy woodgrain. Choose a product that fits your space.


ZG/ZF 5029



The images are for illustrative purposes and may differ from actual product.


WOOD

MULTI PRINTING WOOD




Oak

NEW ZG/ZF 5028 ●●



Oak

NEW ZG/ZF 5029 ●●



Oak

NEW ZG/ZF 5030 ●●

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW




Light Oak

NEW ZG/ZF 5038 ●●



Light Oak

NEW ZG/ZF 5039 ●●



Light Oak

NEW ZG/ZF 5040 ●●



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW




Oak

NEW ZG/ZF 5033 ●●



Oak

NEW ZG/ZF 5034 ●●



Oak

NEW ZG/ZF 5035 ●●



WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ○ | 신제품 NEW



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD

MULTI PRINTING WOOD

Fire Retardant ● | Standard Range ○ | NEW NEW



Washed Ash

NEW ZG/ZF 5041 ●●



Washed Ash

NEW ZG/ZF 5044 ●●



Washed Ash

NEW ZG/ZF 5045 ●●



Washed Ash

NEW ZG/ZF 5042 ●●



Washed Ash

NEW ZG/ZF 5043 ●●

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ○ | 신제품 NEW



Elm

NEW ZG/ZF 5036 ●●



Elm

NEW ZG/ZF 5037 ●●

WOOD

MULTI PRINTING WOOD

Fire Retardant ● | Standard Range ○ | NEW NEW




Oak

ZG/ZF 5019 ●●




Oak

ZG/ZF 5018 ●●



Maple

NEW ZG/ZF 5031 ●●



Maple

NEW ZG/ZF 5032 ●●




Oak

ZG/ZF 5020 ●●




Oak

ZG/ZF 5021 ●●



Amazahoue

NEW EG/EF 6100 ●●




Amazahoue

NEW EG/EF 6101 ●●



Oak

ZG/ZF 5022 ●●



Oak

ZG 5027 ●

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW



Multi Print Wood

ZG/ZF 5000 ●●



Vintage Oak

ZG/ZF 5009 ●●



Multi Print Wood

ZG 5003 ●



Vintage Oak

ZG/ZF 5010 ●●



Vintage Oak

ZG 5011 ●



Vintage Oak

ZG/ZF 5012 ●●



Teak

ZG/ZF 5015 ●●



Teak

ZG/ZF 5016 ●●



ZG/ZF 5009

상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD

M series

방염 ● | 비방염 ● | 신제품 NEW



Ash



Pine

MG/MF 3084 ●●



Wizard Grain

MG/MF 3064 ●●



Wizard Grain

MG/MF 3065 ●●



Ash

MG 3005 ●



Teak

MG 3006 ●



Primary Oak

MG/MF 3007 ●●



WOOD

N series

방염 ● | 비방염 ○ | 신제품 NEW



String Wood

NG 402 ●



Sycamore

NG 158 ●



Stripe Wood

NG/NF 326 ●●

WOOD

N series

Fire Retardant ● | Standard Range ○ | NEW NEW



Birch

NG/NF 225 ●○



Oak

NG/NF 207 ●●



Vilora

NG/NF 284 ●●



Pearl Ash

NG 2010 ●



Oak

NG 2006 ●



White Ash

NG/NF 2001 ●●



Maple

NG/NF 388 ●●



Oak

NG/NF 2020 ●●



Elm

NG/NF 336 ●●



Elm

NG 217 ●



Elm

NG 218 ●



Pear

NG/NF 250 ●●



Maple

NG/NF 349 ●●



Walnut

NG/NF 227 ●●



Oak

NG 971 ●

WOOD

N series

방염 ● | 비방염 ● | 신제품 NEW



Oak



PG 904 ●



Oak

NG/NF 2021 ●●

Oak

NG/NF 2022 ●●

WOOD

N series

Fire Retardant ● | Standard Range ● | NEW NEW



Oak



Walnut



NG 267 ●




Oak

NG 962 ●



Style Bamboo

NG 2024 ●



Multi Wood

NG 253 ●



Antique Teak

NG 493 ●



Antique Pine

NG/NF 400 ●●




Golden Teak

PG 940 ●



Noce

NG/NF 03 ●●



Multi Wood

NG 256 ●

WOOD

S series

방염 ● | 비방염 ○ | 신제품 NEW



Antique Wood SG/SF 1107 ●●



Ash SG/SF 179 ●●



Elm SG/SF 81 ●●

WOOD

S series

Fire Retardant ● | Standard Range ○ | NEW NEW



Ash SG 140 ○




Pine SG 143 ○



Ash SG/SF 37 ●●



Ash SG/SF 1110 ●●



Acacia SG 12 ○



Pine SG/SF 142 ●●



Ash SG/SF 1111 ●●



Ash SG/SF 1112 ●●




Oak SG 171 ○



Washed Oak SG/SF 1113 ●●



Ash SG/SF 1100 ●●



Ash SG/SF 178 ●●



French Oak SG/SF 30 ●●



Oak SG/SF 82 ●●



Washed Oak SG 1115 ○



Ivy SG 209 ○




Ivy SG 211 ○




Oak SG/SF 361 ●●



Oak SG/SF 40 ●●



Montaigne Walnut SG 385 ○



Ash SG 1116 ○

WOOD

S series



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Oak SG/SF 54 ••




Teak SG/SF 249 ••




Ash SG/SF 1102 ••



Compile Wood SG/SF 282 ••



French Oak SG/SF 29 ••



Oak SG/SF 55 ••

WOOD


S series




Maple SG/SF 20 ••



Ash SG/SF 1101 ••



Cherry SG 1118 •



Sonoma Oak SG/SF 167 ••



Maple SG/SF 43 ••



Washed Oak SG/SF 1114 ••




Teak SG/SF 09 ••




Ash SG 141 •



Oak SG/SF 181 ••



Oak SG 98 •



Ash SG/SF 177 ••



Oak SG/SF 189 ••

WOOD

S series



Ash

SG/SF 58 ●●



Maple

SG/SF 363 ●●



Castagno Oak

SG/SF 381 ●●

WOOD

S series



Cherry

SG/SF B1 ●●



Pine

SG/SF 44 ●●




Cherry

SG/SF 101 ●●



Maple

SG/SF 251 ●●



Oak

SG/SF 190 ●●




Akagashi

SG/SF 237 ●●



Castagno Oak

SG/SF 383 ●●




Cherry

SG 26 ●




Cherry

SG 23 ●




Oak

SG/SF 169 ●●




Oak

SG/SF 170 ●●




Acacia

SG/SF 10 ●●




Cherry

SG/SF 31 ●●




Cherry

SG 28 ●




Anegre

SG/SF 1143 ●●




Oak

SG 56 ●




Acacia

SG/SF 186 ●●




Compile Wood

SG/SF 148 ●●




Walnut

SG/SF 89 ●●



Ash

SG /SF 1103 ●●




Walnut

SG/SF 149 ●●

WOOD


S series

방염 ● | 비방염 ● | 신제품 NEW




Walnut

SG/SF 278 ●●




Sapele

SG/SF 243 ●●



Teak

SG/SF 36 ●●




Walnut

SG 61 ●




Ash

SG/SF 164 ●●




Antique Wood

SG 230 ●



Antique Wood

SG/SF 1109 ●●



Black Wood

SG/SF 52 ●●



상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

VERSA-TILE

Versa-tile's Versa means 'a change', 'an Alteration' or 'another one'.
 You can create a variety of different looks compared to traditional interior films.
 Apply to floors that need maintenance, walls in the kitchen, or art walls.



BG 8007

The images are for illustrative purposes and may differ from actual product.


VERSA-TILE

Versa-tile은 기존 인테리어 필름의 두께 변경과 바닥재 기능성 추가로 유지 보수가 필요한 바닥, 주방의 벽면 또는 아트월 등 다양한 표현이 필요한 부분에 적용할 수 있도록 제작된 상품입니다.




Carrara

NEW BG 8006



Marquina

NEW BG 8007




Travertine

BG 8004 ●




Herringbone

BG 8001 ●




Concrete

BG 8003 ●




Herringbone

BG 8000 ●



ANTI BACTERIA FILM

SOIF에서 개발한 항균인테리어필름으로 더 안전하고 편안한 공간을 연출해 보세요.
항균인테리어필름이 필요한 공간에 적용 가능합니다. 시험성적서에서 항균력(99.9%)을 확인해 보세요.




항균인테리어필름은 주문 제작을 통하여 삼성인테리어필름 전 제품에 적용이 가능합니다.



AB 3800 •




AB 3801 •




AB 3802 •



AB 3803 •



AB 3804 •




AB 3801

상기 이미지는 이해를 돋기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WHERE IS ART
THERE IS
SOIF

SOIF
G L O B A L



본사 서울특별시 강서구 개화길8 (개화동)
공장 경기도 포천시 영중면 영일로 215-6

(주)삼성인테리어필름

INSTALLATION GUIDE

www.samsungfilm.co.kr

(1) Preparation

- Before applying interior films, the surface condition of where to be applied must be checked for a proper installation.

MDF	Please use densely homogenous MDFs, this enhances adhesion and fire retardant performance.
Iron plate (aluminum, iron, etc.) steel	Remove contaminants such as oil on the surface with solvents such as alcohol, check for damage to the surface due to solvents, treat irregularities and welding areas with filler and remove any foreign matter with wallpaper scappers, sandpaper etc. and then clean area with lint free cloths and cleaning brushes.
Ready-made products	Depending on the surface condition, the primer must be used to prevent shrinkage and dropout, and the surface must be checked prior to the installation.

- Before installation, inspection of the product selected by the consumer (product name, pattern, appearance status) must re-check in advance.
- Installation work must be conducted after inspection of all preparation works done, this includes the coating, painting and sealant process of any woodwork or porous substrates.
- For a stable working environment, check the humidity of the construction site and keep the room temperature at (15°C to 25°C) if possible.
- The across section - overlapping area (cutting area) of the surfaces (MDF, etc.) where the film will be applied must be sufficiently cleaned or polished with sandpaper. The condition of the wood surface (particularly the edges) is rough, it must be cleaned or polished with sandpaper or applied after filler treatment.

(2) Primer Treatment

- Apply a sufficient primer to the surface of substrate (MDF, PB, etc.) 1-2 times.
- Since the cutting (slit) surface of wood has a high absorption rate and uneven surfaces, the primer should be fully applied 2-3 times.
- Primers will need approximately 2 hours drying time. It is advised and recommended that you check the substrate and thoroughly dry and clean prior to installation.

(3) Installation Film

- Once the primer surface is dry enough, make the surface smooth and overlapping section is needed to be cleaned with sandpaper and remove residue with a lint free cloth and make sure area is completely dust free.
- Surface treatment by using sandpapers is required and make sure the surface is clean before applying primer to enhance adhesion performance.
- Please make a pressure using by Helt or Hera (Spatula). Rubbing or Hard Pressure may work to strengthen the Adhesion 2-3 times.
- Apply interior films carefully, not wrapping films forcefully pull over MDF plates, heat or humidity can cause a MDF distortion.

(4) Specific Product Instructions

SC/SE (man-made leather type)

- Do not overlap due to the embossed depth and please apply Solvent Type Primer to press firmly.

In order to maximize the visual effect of the product, it is necessary to check the type and condition of the surfaces and remove all residues prior to installation. Do not rub too hard.

SP

- To enlarge the design effect, the film is too soft on the top. Please do not rub too hard.

JG/JF

- JG/JF is specially processed using Aluminum, detachment of where film lines are overlapped can cause a peeling of films surfaces. So pay attention at installing

PREMIUM MATT LINE-UPS, SOFT MATT (Solid)

- As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time. (Method when contaminated : Wipe with an alkaline alcohol to remove.)

(5) Product Storage and Precautions

- Please avoid moisture and direct sunlight, and please do not use it outdoors.
 - The surface may become discolored during prolonged exposure to sunlight or ultraviolet light.
 - It is recommended that correct storage temperatures are used for storing the product to be free from long term storage defects. (15°C to 25°C)
 - When installing the film, please use manufacturer's recommend products.
- Unauthorized reproduction and use of content published in this sample book is prohibited.
The colors of the products listed in the samplebook may differ from the actual product.

시공 유의사항

www.samsungfilm.co.kr

(1) 사전 준비 작업

- 필름이 시공되는 피착재의 종류와 표면상태를 점검하여 시공 전후 문제 발생 부위를 사전에 점검해야 합니다.

MDF	밀도와 표면상태에 따라 시공 점착력과 방염 성능의 차이가 발생하므로 밀도가 균일한 MDF를 사용하도록 합니다.
철판(알루미늄, 철 등)	알코올 등의 용제로 표면의 기름 등 오염물질을 제거하고, 용제로 인한 면의 손상을 확인 후 요철부위나 용접부위를 퍼티로 처리하고, 샌드페이퍼 등으로 표면 연마를 한 후에 먼지떨이 붓으로 이물질을 제거합니다.
기성제품	표면상태에 따라 프라이머를 사용해야 수축 및 탈락을 방지할 수 있으며, 피착면을 반드시 점검해야 합니다.

- 시공 전 소비자가 선정한 제품의 이상 유무(제품명, 패턴, 외관상태, 방염여부)에 대해 사전검수를 진행해야 합니다.
- 필름시공은 목공사 후 도장 및 도배공정과 협의 후 시행해야 합니다.
- 안정적인 작업환경을 위해 시공현장의 습도를 확인하고, 실내온도를 가급적 상온(15°C~25°C)으로 유지하여 주십시오.
- 필름이 시공될 피착재(MDF 등)의 단면(절단)부위는 샌드페이퍼로 충분히 연마해야 합니다.
- 특히, 목자류의 경우 꺾임부위 및 에지(Edge)부분의 표면상태가 거친 경우에는 샌드페이퍼로 연마하거나 퍼티 처리 후 시공해야 합니다.

(2) 프라이머 처리

- 프라이머 처리시 목재(MDF, PB 등)표면 및 절단면은 흡수율이 높고 면이 고르지 않기 때문에 프라이머를 2~3회 도포합니다.
- 도포 완료 후 충분히 건조하여야 하며, 습한 곳에서는 표면을 반드시 확인 후 시공하여야 합니다.

(3) 시공 방법

- 프라이머 도포면이 충분히 건조되면, 샌드페이퍼로 표면과 단면을 연마한 후 이물질을 먼지떨이나 붓으로 제거합니다.
- 제품 Lot간 색상차이가 발생할 수 있으므로 선 부착제품과 색상확인 후 시공해야 합니다.
- 인테리어필름의 점착면은 샌딩처리가 되어야 하며, 점착력을 보강하기 위해 프라이머를 사용할 수 있습니다.
- 헬트나 헤라를 이용하여 표면이 완전히 밀착되어 접착되도록 충분히 문질러야 하며, 단면인 경우에는 2~3회 강한 힘으로 압착해야 합니다.
- 인테리어필름은 제품 특성상 고온의 열 또는 MDF의 수축으로 인한 제품 수축이 발생할 수 있으므로 무리하게 당기거나 열에 주의하여 시공하여야 합니다.

(4) 특정제품 시공 유의사항

SC/SE (인조가죽 타입)

- 겹침시공시 엠보싱이 및 표면처리층으로 인해 박리 우려가 있으므로 겹침시공을 하지 마십시오.
- 부득이한 겹침시공시 반드시 유성프라이머 처리 후 시공해야 둘둘현상을 막을 수 있습니다.
- 제품의 표면부위가 약하므로 시공시 강하게 문지르면 표면에 손상우려가 있으니 작업시 주의하시기 바랍니다.

SP

- 디자인 효과로 인하여 표면부위가 소프트하므로 시공시 강하게 문지르면 표면에 손상 우려가 있으므로 주의하시기 바랍니다.

JG/JF

- 알루미늄을 이용한 특수한 공법의 제품으로 겹침시공 부위의 필름간의 탈착으로 인하여 표면층의 박리현상이 발생할 수 있으므로 시공시 주의하시기 바랍니다.

프리미엄 매트코팅 제품군, 소프트 매트 (단색)

- 제품표면이 특수가공 처리된 제품으로, 겹침 시공시 적당한 힘으로 부드럽게 충분히 눌러주어 완전히 압착시킵니다.
잘 벗지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다. (오염되었을 때 방법 : 알칼리성 알코올로 닦아서 제거)

(5) 제품 보관 및 주의사항

- 습기와 직사광선을 피해 시공해 주시고, 옥외에는 사용하지 말아 주십시오.
- 태양광이나 자외선에 장시간 노출시 표면이 변색되는 경우가 있을 수 있습니다.
- 제품포장 해체 후 오래 보관할 경우 제품표면의 크랙현상 및 점착력 약화가 있을 수 있으니 주의하시기 바랍니다.
- 필름 시공시 프라이머는 SOIF 전용 프라이머를 사용해야 합니다.

- 본 샘플북에 게재된 내용의 무단 복제 및 사용을 금지합니다.
- 수록된 제품의 색상은 실제 제품과 차이가 있을 수 있습니다.